

# RESTRICTED USE PESTICIDE

## DUE TO POTENTIAL SECONDARY TOXICITY TO NONTARGET ORGANISMS

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

## 24(c) SUPPLEMENTAL LABEL

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WYOMING

# rozol®

## PRAIRIE DOG BAIT

FOR USE ON RANGELAND AND NONCROP AREAS  
TO CONTROL PRAIRIE DOGS (*Cynomys* spp.)

EPA SLN No. WY-070005

EPA Registration No. 7173-244

EPA Est No. 7173-WI-1

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling, which includes this supplemental label and the label for Rozol Pocket Gopher Bait Burrow Builder Formula (EPA Reg. No. 7173-244). Both of these labels must be in the possession of the user at the time of application. Follow all directions of this supplemental label and all applicable directions, restrictions and precautions on the label for EPA Reg. No. 7173-244.

**Endangered Species Considerations:** Do not use this product within prairie dog towns within the range of the black-footed ferret without first contacting the endangered species specialists, U.S. Fish and Wildlife Service (Wyoming Field Office): 307-772-2374.

**Use restrictions:** This product may only be used in underground applications to control prairie dogs (*Cynomys* spp.) on rangeland and noncrop areas.

- Bait must be applied at least 6 inches down prairie dog burrows. **Do not apply bait on or above ground level. Treat only active burrows.**
- Apply bait only after October 1 and before April 15 of the following year, when vegetation green-up occurs the following spring, and when prairie dogs will most readily take the grain-based bait.
- Store this product away from humans, domestic animals, pets and nontarget wildlife. Do not allow children, pets, domestic animals, or persons not involved in the application to be in the area where the product is being applied.
- Wear chemical-resistant gloves when handling bait or dead animals.

**Site Assessment:** Before applying this product, identify active prairie dog burrows by visual observation. The openings of active burrows will generally be free of leaves, seeds, other debris or spider webs, and will show freshly turned earth, and have prairie dog feces nearby.

**Application:** Apply 1/4 cup (53 grams or nearly 2 ounces) of bait at least 6 inches down active prairie dog burrows. **Make sure no bait is left on the soil surface at the time of application.** Applicator must retrieve and dispose of any bait that is spilled above ground or placed less than 6 inches down the burrow entrance. Following treatment, collect and properly dispose of any bait that may have come to the surface. Collect and properly dispose of all dead animals found above ground. Carcasses buried on site must be in holes dug at least 18 inches deep.

**Reapplication:** If prairie dog activity persists several weeks or months after the bait was applied, a second application is allowed before vegetation green-up occurs in the spring, by treating burrows in the same manner and procedure as the first application. Follow all baiting and animal disposal directions as above.

24(c) registrant:

**LIPHATECH®**

Liphatech, Inc.  
3600 W. Elm Street  
Milwaukee, WI 53209  
(414) 351-1476

Rev. 11/08